


MHM 2000SC EPS TWIN COMPACTOR

The MHM 2000SC has been developed with advanced technology that makes it capable of compacting large amounts throughputs of material.

It can maintain a high compaction rate continuously, up to 90 kg per hour, and produce block dimensions of 200mm x 200mm x 2 with variable length. In addition, the MHM 2000SC is a very low-maintenance machine.



FEATURES & BENEFITS

- Simple automated operation.
- Easy to use touch screen controls.
- Low maintenance.
- Fast continuous throughputs.
- Reduced waste disposal costs.
- No waste to landfill.
- Can be adapted for outside use.
- Galvanised version available.

IDEAL FOR

- EPS Polystyrene Fish Boxes.
- EPS Polystyrene Packaging.
- EPS Dust.
- Polypropylene (EPP) Packaging.
- Polyurethane Insulation Foam.



TECHNICAL SPECIFICATION

Capacity Per Hour	Up to 90 kg
Daily Capacity	900 kg
Feed-Opening Dimensions	750mm x 720mm
Weight	820 kg
Noise Level (1 meter)	Standard: 77-100 db
Machine Dimensions LxWxH	3875mm x 890mm x 1600mm
Main Motor	7.5kW



RECYCLING MACHINERY

Our recycling machinery is of the highest quality and durability, ensuring that it will last for years to come.

We manufacture and supply a variety of machines that are designed to fit your specific recycling needs and are easy to operate. From balers to compactors, our products are designed to help you save time and money.

ADDRESS





MHM UK LTD
Unit C, Royalty Lane
Swineshead, Boston
Lincolnshire, PE20 3PJ

CONTACT

Telephone: +44(0)1205 821522
Email: sales@mhukltd.com
Website: www.mhukltd.com

**YOUR
GREEN
JOURNEY
STARTS
HERE...**





ITEM	PART NO.	DESCRIPTION	DescriptionDK	QTY.
1	2000006006	Motor MOLL IE1 S2 7,5kW/1450/400/690V-50Hz	Motor MOLL IE1 S2 7,5kW/1450/400/690V-50Hz	1
2	2000001420	SK200 TWIN Control 3x400V 50Hz 7,5kW main motor	SK200 TWIN Styling 3x400V 50Hz 7,5kW hovedmotor	1
3	2000005053	Gear TF140BO B5 1:40 Ø55 IEC132	Gear TF140BO B5 1:40 Ø55 IEC132	1
4	2000006046	Kit Cap ALB.CAVO 125-140	dæksel til keglehjulsgear 125-140	1
5	5000022525	SK200 Twin support electric cabinet	SK200 Twin ophæng elskab	2
6	5000033816	SK200 Twin basis	SK200 Twin basis	1
7	2000000266	Conquest photocelle - transmitter - CT10	Conquest fotocelle - sender - CT10	2
8	2000000267	Conquest photocelle - receiver - CR10	Conquest fotocelle - modtager - CR10	2
9	2000000268	photocell amplifier	Fotocelleforstærker	2
10	2000006051	Motor 80 B14F1 UL/CSA 0,55kW/1420/230/400V-50Hz/CLF/IP55 230/380/400V-50Hz + 460V-60Hz	Motor 80 B14F1 UL/CSA 0,55kW/1420/230/400V-50Hz/CLF/IP55 230/380/400V-50Hz + 460V-60Hz	1
11	5000029195	Mounting u iron f. photo cell - AISI 304	u stykke f. fotocelle - AISI 304	2

Revisioner			
No	Note	Init	Dato
L.	Glideleje	jrj	08-12-2021
B.	type	Phb	18-10-2022
C.	Mate ændret/opdateret.	Jkp	13-12-2022
D.	ny hydraulikmotor	Phb	21-04-2023
E.	Beskyttelsesbøjle over fotosensor tilføjet.	Jkp	12-07-2023

General Tolerances (-DS/ISO 2768-1 m)		Replaces:	
Projection:		Format: A3	
Color: _____ Surface: _____		Date: 29-09-2022	
Description: SK200 TwinEU400V		Creator: Phb	
Beskrivelse: SK200 TwinEU400V		Projekt ID: _____	
Scale: 1:25 Weight: 819,3 kg		Drawing no.: 5000034331	
30		Rev: E.	